Gadsden Field Office Technical Guide Section II-A April 2002

HIGHLY ERODIBLE LANDS REPORT

Etowah County, Alabama

 		 	 			HEL Classification	
	Map Symbol	Soil Mapunit Name	i 			 	i I i
		1	 	Wir	nd	Water	MU
;—	1	ALLEN FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	<u></u> not 	highly	erodible	potentially highly erodible	
	2	ALLEN FINE SANDY LOAM, 6 TO 10 PERCENT SLOPES	not	highly	erodible	highly erodible	highly erodible
	3	ALLEN GRAVELLY FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	not 	highly	erodible	potentially highly erodible	
	4	ALLEN GRAVELLY FINE SANDY LOAM, 6 TO 10 PERCENT	not	highly	erodible	highly erodible	highly erodible
i i	5	ALLEN SANDY CLAY LOAM, 2 TO 10 PERCENT SLOPES,	not	highly	erodible	highly erodible	highly erodible
i	6	·	Inot	hiahlv	erodible	highly erodible	highly erodible
i		•				highly erodible	
i	8						not highly erodible
i	9						not highly erodible
	10	CHOCCOLOCCO SILT LOAM	not	highly	erodible	not highly erodible	not highly erodible
	11	CLOUDLAND LOAM, 0 TO 3 PERCENT SLOPES	not	highly	erodible	not highly erodible	not highly erodible
	12	CONASAUGA LOAM, 1 TO 5 PERCENT SLOPES	not	highly	erodible	highly erodible	highly erodible
	13	CONASAUGA LOAM, 5 TO 15 PERCENT SLOPES	not	highly	erodible	highly erodible	highly erodible
	14	CONASAUGA-FIRESTONE LOAMS, 15 TO 30 PERCENT SLOPES	not	highly	erodible	highly erodible	highly erodible
	15	CONASAUGA-ROCK OUTCROP COMPLEX, 2 TO 6 PERCENT SLOPES	not	highly	erodible	highly erodible	highly erodible
	16	CONASAUGA-ROCK OUTCROP COMPLEX, 6 TO 25 PERCENT SLOPES	not 	highly	erodible	highly erodible	highly erodible
İ	17	CONASAUGA-URBAN LAND COMPLEX, 2 TO 15 PERCENT SLOPES	not	highly	erodible	highly erodible	highly erodible
i	18	DEWEY SILT LOAM, 2 TO 6 PERCENT SLOPES	not	highly	erodible	highly erodible	highly erodible
i	19	·			erodible		highly erodible
 	20			-	erodible	. 3 -	highly erodible
i	21		not	highlv	erodible	not highly erodible	not highly erodible
i	22						not highly erodible
i	23					highly erodible	
i	24					highly erodible	

HIGHLY ERODIBLE LANDS REPORT (cont.)

Etowah County, Alabama

	1 	l I			HEL Classification	i
i	' 	İ			R= C=	i
İ		İ			·· •	i
Map	Soil Mapunit Name	' 				T
Symbol		i			i	i i
İ		İ	Wi:	nd	Water	MU
İ		İ				i i
25	FIRESTONE-LEESBURG COMPLEX, 15 TO 45 PERCENT SLOPES	not	highly	erodible	highly erodible	highly erodible
26	GAYLESVILLE SILT LOAM	not	highly	erodible	not highly erodible	not highly erodible
27	HARTSELLS FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	not	highly	erodible	highly erodible	highly erodible
28	HARTSELLS FINE SANDY LOAM, 6 TO 15 PERCENT SLOPES	not	highly	erodible	highly erodible	highly erodible
29	HARTSELLS-ROCK OUTCROP COMPLEX, 2 TO 10 PERCENT	not	highly	erodible	highly erodible	highly erodible
1	SLOPES					I I
30	HARTSELLS-URBAN LAND COMPLEX, 2 TO 15 PERCENT SLOPES					highly erodible
				erodible		highly erodible
32	HOLSTON FINE SANDY LOAM, 1 TO 5 PERCENT SLOPES	not	highly	erodible		potentially highly
1					erodible	erodible
					highly erodible	highly erodible
	· · · · · · · · · · · · · · · · · · ·	not	highly	erodible		potentially highly
'	SLOPES				erodible	erodible
35	LEADVALE SILT LOAM, 1 TO 5 PERCENT SLOPES	not	highly	erodible		potentially highly
1					erodible	erodible
36	LEESBURG GRAVELLY SANDY LOAM, 2 TO 6 PERCENT SLOPES	not	highly	erodible		potentially highly
					erodible	erodible
	LEESBURG GRAVELLY SANDY LOAM, 6 TO 15 PERCENT SLOPES					highly erodible
					highly erodible	highly erodible
	·			erodible	. 2 1	highly erodible
				erodible		highly erodible
				erodible		highly erodible
42	MCQUEEN FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	not	highly	erodible		potentially highly
	 			111 1	erodible	erodible
43	MINVALE CHERTY LOAM, 2 TO 6 PERCENT SLOPES	not	nighly	erodible		potentially highly
14	IMINUALE CHERRY LOAM C HO 15 DEDCEME CLOREC	 	ا ماما ا		erodible	erodible
				erodible		highly erodible
				erodible erodible		highly erodible highly erodible
	MINVALE-URBAN LAND COMPLEX, 2 TO 15 PERCENT SLOPES MINVALE-URBAN LAND COMPLEX, 15 TO 45 PERCENT SLOPES					highly erodible
	· ·			erodible	. 2 1	highly erodible
				erodible		highly erodible
				erodible		highly erodible
				erodible		highly erodible
					highly erodible	highly erodible
				erodible		highly erodible
	•				highly erodible	highly erodible
	•			erodible	. 2 1	highly erodible
				erodible		highly crodible
						not highly erodible
					. 3 -	potentially highly
1			- 51		erodible	erodible
, 59	TOCCOA SANDY LOAM	not	highlv	erodible		not highly erodible
			5 -1		, , , , , , , , , , , , , , , , , , , ,	. 5 1

HIGHLY ERODIBLE LANDS REPORT (cont.)

Etowah County, Alabama

		HEL Classification					
Map	Soil Mapunit Name						
Symbol							
		Wind Water MU					
ļ							
60	TOWNLEY SILT LOAM, 3 TO 12 PERCENT SLOPES	not highly erodible highly erodible highly erodible					
61	TOWNLEY ASSOCIATION, STEEP	not highly erodible highly erodible highly erodible					
62	TOWNLEY-LEESBURG ASSOCIATION, STEEP	not highly erodible highly erodible highly erodible					
63	URBAN LAND	not highly erodible not highly erodible not highly erodible					
64	WAYNESBORO SILT LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible potentially highly potentially highly					
	I .	erodible erodible					
65	WAYNESBORO SILT LOAM, 6 TO 15 PERCENT SLOPES	not highly erodible highly erodible highly erodible					
66	WICKHAM FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible potentially highly potentially highly					
	I .	erodible erodible					
67	WYNNVILLE FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	not highly erodible highly erodible highly erodible					
I	1	_					